Date Mailed: JULY 23, 1998





Sheet 1 of 17

FORM 1449\*

INFORMATION DISCLOSURA ATEMENT IN AN APPLICATION

Applicant: SAY ET AL.

(Use several sheets if necessary)

Docket Number: Application Number: 12008.20US01 09/034,372

Filing Date: 03/04/1998 Group Art Unit: 4709

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
NN	3,260,656	07/12/1966	Ross, Jr.		ì	
1	3,653,841	04/04/1972	Klein			
	3,719,564	03/06/1973	Lilly, Jr. et al.			
	3,776,832	12/04/1973	Oswin et al.			RECEIVED
	3,837,339	09/24/1974	Aisenberg et al.			
	3,926,760	12/16/1975	Allen et al.			AUG 1 0 1948
	3,972,320	08/03/1976	Kalman			CDOUD 040
1	3,979,274	09/07/1976	Newman			GROUP 210
	4,008,717	02/22/1977	Kowarski			
	4,016,866	04/12/1977	Lawton			-
	4,055,175	10/25/1977	Clemens et al.			
	4,059,406	11/22/1977	Fleet			
	4,076,596	02/28/1978	Connery et al.			- CS
	4,098,574	07/04/1978	Dappen			G 7= 30
	4,100,048	07/11/1978	Pompei et al.			
	4,151,845	05/01/1979	Clemens			
	4,168,205	09/18/1979	Danninger et al.			7
	4,172,770	10/30/1979	Semersky et al.			5. P. C
	4,178,916	12/18/1979	McNamara			မ
	4,206,755	06/10/1980	Klein			66
	4,224,125	09/23/1980	Nakamura et al.			Rec
	4,240,438	12/23/1980	Updike et al.			500
	4,247,297	01/27/1981	Berti et al.			75
	4,340,458	07/20/1982	Lerner et al.			
	4,352,960	10/05/1982	Dormer et al.			
	4,356,074	10/26/1982	Johnson			8
	4,365,637	12/28/1982	Johnson			. 1
	4,366,033	12/28/1982	Richter et al.			<u>S</u>
NN	4,375,399	03/01/1983	Havas et al.			0 11/6 0 11/6

**EXAMINER** NATNITAITHAMHA

DATE CONSIDERED

2/1999

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in-conformance and not considered. Include copy of this form for next communication to the Applicant.

Ċ

Date Mailed: JULY 23, 1998

Sheet 2 of 17

FORM 1449\*

# INFORMATION DE SURE STATEMENT

Docket Number: 12008.20US01 Application Number:

JS01 09/034,372

IN AN APPLICATION
(Use several sheets if necessary)

Applicant: SAY ET AL.
Filing Date: 03/04/1998

Group Art Unit: 1709 3736

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
<u>ران</u>	4,384,586	05/24/1983	Christiansen	1	1	
ſ	4,390,621	06/28/1983	Bauer			
	4,401,122	08/30/1983	Clark, Jr.			RECEIVED
	4,404,066	09/13/1983	Johnson			
	4,418,148	11/29/1983	Oberhardt			AUG 1 0 190-
	4,427,770	01/24/1984	Chen et al.			ROUP 2100
	4,431,004	02/14/1984	Bessman et al.			
	4,436,094	03/13/1984	Cerami			
	4,440,175	04/03/1984	Wilkins			
	4,450,842	05/29/1984	Zick et al.			
	4,458,686	07/10/1984	Clark, Jr.		1.	\@ &
	4,461,691	07/24/1984	Frank			( amount
	4,469,110	09/04/1984	Slama		:	0 2 0
	4,477,314	10/16/1984	Richter et al.			S 6 11
	4,484,987	11/27/1984	Gough			
	4,522,690	06/11/1985	Venkatasetty			8 0
	4,524,114	06/18/1985	Samuels et al.			دا: دا
	4,526,661	07/02/1985	Steckhan et al.			
	4,534,356	08/13/1985	Papadakis			.98
	4,538,616	09/03/1985	Rogoff			GROUS GROU
	4,543,955	10/01/1985	Schroeppel			100 JS /
	4,545,382	10/08/1985	Higgins et al.			7
	4,552,840	11/12/1985	Riffer			
	4,560,534	12/24/1985	Kung et al.		<i>C.</i>	, i.
	4,571,292	02/18/1986	Liu et al.			20
	4,573,994	03/04/1986	Fischell et al.			GR F
	4,581,336	04/08/1986	Malloy et al.	Y		$\bigcirc m \odot$
	4,595,011	06/17/1986	Phillips		:4	10 S
NN	4,619,754	10/28/1986	Niki et al.		1	\$ 15°C

EXAMINER	NAVIN NATUTATHA DAA DATE CONS	IDERED 1/2/109
	TO HELLO TO TATION TO THE TATION OF THE TATI	11/2/1997

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

 $\bigcirc$ 

Data	Mailed.	ПП.У 23	1000
Date	Mailed:	HH Y 23	1998

	Shee	t 3 of 17
E STATEMENT	Docket Number: 12008.20US01	Application Number: 09/034,372

FORM 449*P EINFORMATION DISCLOSURE STATEMENT	Docket Number: 12008.20US01	Application Number: 09/034,372
JUL 2 7 1999 E IN AN APPLICATION	Applicant: SAY ET AL.	
(Use several sheets if necessary)	Filing Date: 03/04/1998	Group Art Unit: 1709-3736
TRADEMANA OF	.,	

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
NN	4,627,445	12/09/1986	Garcia et al.			
	4,627,908	12/09/1986	Miller			
	4,633,878	01/06/1987	Bombardieri			
	4,637,403	01/20/1987	Garcia et al.		R	ECEIVEL.
1	4,650,547	03/17/1987	Gough		Λ1	C 1 0 1000
	4,654,197	03/31/1987	Lilja et al.		<u>A</u> l	<del>G 1 0 1998</del>
	4,655,880	04/07/1987	Liu		GR	OUP 2100
	4,655,885	04/07/1987	Hill et al.			
	4,671,288	06/09/1987	Gough			
1	4,679,562	07/14/1987	Luksha			
	4,680,268	07/14/1987	Clark, Jr.			
	4,682,602	07/28/1987	Prohaska		. 4	
	4,684,537	08/04/1987	Graetzel et al.			2
	4,685,463	08/11/1987	Williams			c a a
	4,703,756	11/03/1987	Gough et al.	身		2 2 0
	4,711,245	12/08/1987	Higgins et al.			<u> </u>
	4,717,673	01/05/1988	Wrighton et al.	$k_{\chi}^{\chi}$		
	4,721,601	01/26/1988	Wrighton et al.			8 9 6
	4,721,677	01/26/1988	Clark, Jr.	1		63
	4,726,378	02/23/1988	Kaplan			7
	4,726,716	02/23/1988	McGuire			92
	4,757,022	07/12/1988	Shults et al.			GR.
	4,758,323	07/19/1988	Davis et al.			96
	4,759,371	07/26/1988	Franetzki		,	
	4,759,828	07/26/1988	Young et al.		· c	7 2
	4,764,416	08/16/1988	Ueyama et al.			7. 7.
	4,776,944	10/11/1988	Janata et al.			26
1	4,781,798	11/01/1988	Gough		•	RR ING
NN	4,784,736	11/15/1988	Lonsdale et al.		1 :	56 2

				200
EXAMINER	NAVININATHITHADHA	DATE CONSIDERED	12/190	(9)
		·	1-11-	<u> </u>




FORM 449* P SINFORMATION DISCLOSURE STATEMENT	Docket Number: 12008.20US01	Application Number: 09/034,372
JUL 2 7 1999 8 IN AN APPLICATION	Applicant: SAY ET AL.	
(Use several sheets if necessary)	Filing Date: 03/04/1998	Group Art Unit: 1709 3736
TRADEMARK CO		

			U.S. PATENT DOCUMEN	rs		
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
こを	4,795,707	01/03/1989	Niiyama et al.	1	1	
1	4,796,634	01/10/1989	Huntsman et al.			
	4,805,624	02/21/1989	Yao et al.			
	4,813,424	03/21/1989	Wilkins			RECEIVEL
	4,815,469	03/28/1989	Cohen et al.			
	4,820,399	04/11/1989	Senda et al.			AUG 1 Ú 1998
	4,822,337	04/18/1989	Newhouse et al.			ROUP 2100
	4,830,959	05/16/1989	McNeil et al.			
	4,832,797	05/23/1989	Vadgama et al.			
	Re. 32,947	06/13/1989	Dormer et al.			
	4,840,893	06/20/1989	Hill et al.			
	4,848,351	07/18/1989	Finch		y , •	.0
	4,871,351	10/03/1989	Feingold			ن
	4,871,440	10/03/1989	Nagata et al.			<b>5 5 6</b>
	4,874,500	10/17/1989	Madou et al			2 3 8
	4,890,620	01/02/1990	Gough			7
	4,894,137	01/16/1990	Takizawa et al.			6 4 6
	4,897,162	01/30/1990	Lewandowski et al.			C On.
	4,897,173	01/30/1990	Nankai et al.			Liô
	4,909,908	03/20/1990	Ross et al.			
	4,911,794	03/27/1990	Parce et al.			R. GR.
	4,917,800	04/17/1990	Lonsdale et al.			PO C
	4,919,141	04/24/1990	Zier et al.		,	7.
	4,919,767	04/24/1990	Vadgama et al.		Ž	10 3
	4,923,586	05/08/1990	Katayama et al.			7.
	4,927,516	05/22/1990	Yamaguchi et al.			20
	4,934,369	06/19/1990	Maxwell			C)
NN	4,935,105	06/19/1990	Churchouse		1, .	\$ 2

EXAMINER	NAVIN NATALITAITHANKA	DATE CONSIDERED	112/1999	Ċ	
		<del>'</del>	11-11-11	<del></del>	
EYAMINED.	Initial if reference considered whether the state of the state of			•	





			U.S. PATENT DOCUMEN	TS		
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
NN	4,935,345	06/19/1990	Guilbeau et al.	C	1	٠, .
Ì	4,938,860	07/03/1990	Wogoman			
	4,944,299	07/31/1990	Silvian			نت
	4,950,378	08/21/1990	Nagata		Ğ	1 <sub>2</sub> 5
	4,953,552	09/04/1990	DeMarzo			26 26 26
	4,954,129	09/04/1990	Giuliani et al.			011
	4,969,468	11/13/1990	Byers et al.			
	4,970,145	11/13/1990	Bennetto et al.			ည ဂိုဂ္ဂ ဗဲ
	4,974,929	12/04/1990	Curry			
	4,986,271	01/22/1991	Wilkins			
	4,994,167	02/19/1991	Shults et al.			
	5,001,054	03/19/1991	Wagner			Č
	5,058,592	10/22/1991	Whisler			写 声 商。
	5,070,535	12/03/1991	Hochmair et al.			6 N G
	5,082,550	01/21/1992	Rishpon et al.			
	5,082,786	01/21/1992	Nakamoto			7 5 13
	5,089,112	02/18/1992	Skotheim et al.			
	5,095,904	03/17/1992	Seligman et al.			ذ
	5,101,814	04/07/1992	Palti			
	5,108,564	04/28/1992	Szuminsky et al.			
	5,109,850	05/05/1992	Blanco et al.			
	5,120,420	06/09/1992	Nankai et al.			, 3
	5,126,034	06/30/1992	Carter et al.			<u>β</u> Θ
	5,133,856	07/28/1992	Yamaguchi et al.			6 25 C
	5,135,003	08/04/1992	Souma			冠 7
	5,141,868	08/25/1992	Shanks et al.		12	Y P
	5,161,532	11/10/1992	Joseph		50	7
N/N	5,165,407	11/24/1992	Wilson et al.			N

EXAMINER	NAVINATINITHAHADHA	DATE CONSIDERED	21/2	1099
	•			

ъ.,		** ** ** **	
Date	Mailed:	JULY 23	1998

Ch	eet	4	~6	1	7

FOKM 1449*	<u>e/</u>
	INFORMATION DISCLOSURE STATEMENT
图 27%	IN AN APPLICATION
(H	(Use several sheets if necessary)
RADEMAR	

Docket Number: Application Number: 12008.20US01 09/034,372

Applicant: SAY ET AL.

Filing Date: 03/04/1998

Group Art Unit: 1709

					•	=0°°
			U.S. PATENT DOCUMEN	TS		PO S
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILINO DATE FAPPROPRIATE
NN	5,174,291	12/29/1992	Schoonen et al.			7
	5,190,041	03/02/1993	Palti			
	5,192,416	03/09/1993	Wang et al.		غام ا	TOEWES.
	5,198,367	03/30/1993	Aizawa et al.			ECEIVED
	5,202,261	04/13/1993	Musho et al.			NUG 1 0 1998
	5,205,920	04/27/1993	Oyama et al.			i i
	5,208,154	05/04/1993	Weaver et al.		G	OUP 2100
	5,209,229	05/11/1993	Gilli			
	5,217,595	06/08/1993	Smith et al.			
	5,229,282	07/20/1993	Yoshioka et al.			
	5,250,439	10/05/1993	Musho et al.			90
	5,262,035	11/16/1993	Gregg et al.			
	5,262,305	11/16/1993	Heller et al.			
	5,264,103	11/23/1993	Yoshioka et al.			
	5,264,104	11/23/1993	Gregg et al.	¥ ;		£ 55
	5,264,106	11/23/1993	McAleer et al.			
	5,271,815	12/21/1993	Wong			نين
	5,279,294	01/18/1994	Anderson et al.			
	5,286,362	02/15/1994	Hoenes et al.		·	
	5,286,364	02/15/1994	Yacynych et al.			
	5,288,636	02/22/1994	Pollmann et al.			? उद
	5,293,546	03/08/1994	Tadros et al.			RU
	5,320,098	06/14/1994	Davidson			
	5,320,725	06/14/1994	Gregg et al.		, h	7
	5,322,063	06/21/1994	Allen et al.		00	5 5
	5,337,747	08/16/1994	Neftel			· · · · · · · · · · · · · · · · · · ·
	5,352,348	10/04/1994	Young et al.			0.50
	5,356,786	10/18/1994	Heller et al.			
UN	5.368.028	11/29/1994	Palti			

EXAMINER	NAYIN	NATITH	MARHIT	DATE CONSIDERED	11/2/1999

FORM (4)9 P INFORMATION DISCLOSURE STATEMENT	Docket Number: 12008.20US01	Application Number: 09/034,372
JUL 2 7 1998 E) IN AN APPLICATION	Applicant: SAY ET AL.	
(Use several sheets if necessary)	Filing Date: 03/04/1998	Group Art Unit: 1209 3 7 36
TRADEMARK B		

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
NN	5,372,133	12/13/1994	Hogen Esch	,		
1	5,376,251	12/27/1994	Kaneko et al.			
	5,378,628	01/03/1995	Grätzel et al.			ECEIVED
	5,387,327	02/07/1995	Khan			AEULI VIII
	5,390,671	02/21/1995	Lord et al.			AUG 1 0 1998
	5,391,250	02/21/1995	Cheney, II et al.			
	5,395,504	03/07/1995	Saurer et al.		(	ROUP 2100
	5,411,647	05/02/1995	Johnson et al.			· - ~
	5,437,999	08/01/1995	Diebold et al.			<u> </u>
	5,469,846	11/28/1995	Khan			2 5
	5,494,562	02/27/1996	Maley et al.			-1111 A.S.
	5,496,453	03/05/1996	Uenoyama et al.		<u> </u>	1=
	5,497,772	03/12/1996	Schulman et al.		0	
	5,531,878	07/02/1996	Vadgama et al.			es .
	5,545,191	08/13/1996	Mann et al.			75
	5,560,357	10/01/1996	Faupel et al.		;	
	5,565,085	10/15/1996	Ikeda et al.		2	
	5,567,302	10/22/1996	Song et al.			C B Fig
	5,568,806	10/29/1996	Cheney, II et al.		÷-	
	5,569,186	10/29/1996	Lord et al.			
	5,582,184	12/10/1996	Erickson et al.			c,n
	5,582,697	12/10/1996	Ikeda et al.			
	5,582,698	12/10/1996	Flaherty et al.			
	5,586,553	12/24/1996	Halili et al.			
	5,589,326	12/31/1996	Deng et al.			6 96
	5,593,852	01/14/1997	Heller et al.			GRAU GRAU
	5,596,150	01/21/1997	Arndt et al.			\$5° 7
(	5,617,851	04/08/1997	Lipkovker		(	15,
ON	5,628,890	05/13/1997	Carter et al.	<del>                                      </del>	18	<del>\$\frac{2}{2}\frac{2}{2}\frac{1}{</del>

EXAMINER	NAVIN	MAINITH ITHADITATE CONSIDERED	11/2/19998
	V- /\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		19211100

FORMATION DISCLOSURE STATEMENT	12008.200801		
JUL 2 7 1999 in an application	Applicant: SAY ET AL.		
(Use several sheets if necessary)	Filing Date: 03/04/1998	Group Art Unit: 1709 3 73-6	
TRADEMINE			

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
NA	5,651,869	07/29/1997	Yoshioka et al.	1		
(	5,660,163	08/26/1997	Schulman et al.			-a-u/-D
	5,670,031	09/23/1997	Hintsche et al.		1	ECEIVED
	5,680,858	10/28/1997	Hansen et al.			AUG 1 U 1998
	5,682,233	10/28/1997	Brinda			
	5,695,623	12/09/1997	Michel et al.		G	<b>HOUP 2100</b>
	5,708,247	01/13/1998	McAleer et al.			
	5,711,861	01/27/1998	Ward et al.			
	5,711,862	01/27/1998	Sakoda et al.			
NIU	5,741,211	04/21/1998	Renirie et al.			
о у		F	OREIGN PATENT DOCUMI	ENTS		
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
						YES NO
NN	29 03 216	08/02/1979	DE			Abstract
	227 029 A3	09/04/1985	DD (East Germany)			Abstract
	3934299	10/25/1990	DE (Abstract only)			نٺٽ
	0 010 375 A1	04/30/1980	ЕР			<b>S</b> x = H
	0 026 995 A1	04/15/1981	ЕР			Ex 23 12
	0 048 090 A2	03/24/1982	EP		ļ.	X
	0 078 636 A1	05/11/1983	EP			Ex 📜 🕮
	0 096 288 A1	12/21/1983	EP		٤	x
	0 125 139 A2	11/14/1984	EP			x ca
	0 127 958 A2	12/12/1984	EP			x
	0 136 362 A1	04/10/1985	ЕР			X 3
,	0 170 375 A2	02/05/1986	ЕР			Z 2
			ED (Abstract and A			1022 3
	0 177 743 A2	04/16/1986	EP (Abstract only)	1		<b>190</b> 15

					1.1	
EXAMINER	NAVIN	NATN	THE ITHADITA	DATE CONSIDERED	11/2/	1999

Date	Mail	od-HH	LY 23	1998

Sheet 9 of 17



## PRMATION DISCLOSURE STATEMENT

### IN AN APPLICATION

(Use several sheets if necessary)


Docket Number: 12008.20US01	Application Number: 09/034,372
Applicant: SAY ET AL.	

Filing Date: 03/04/1998 Group Art Unit: 1709-2, 736

		F	OREIGN PATENT DOCUMI	ENTS		· · · · · · · · · · · · · · · · · · ·	
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
						YES	NO
W	0 184 909 A2	06/18/1986	EP			х	
-	0 206 218 A2	12/30/1986	EP	REC	EIVED	х	
	0 230 472 A1	08/05/1987	EP	Ala-		х	
	0 241 309 A3	10/14/1987	EP	AUG	1 U 1998	x co	
	0 245 073 A2	11/11/1987	EP	GRO	18 3400 E	, x ≥	-
	0 255 291 B1	06/24/1992	EP		2,00		
	0 278 647 A2	08/17/1988	EP		-	ox:	
	0 359 831 A1	03/28/1990	EP		1	<b>汽</b> 星	
	0 368 209 A1	05/16/1990	EP		Č	₩ .i	
	0 390 390 A1	10/03/1990	EP			x 2	
	0 400 918 A1	12/05/1990	EP			х	
	0 453 283 A1	10/23/1991	EP			х	
	0 470 290 A1	02/12/1992	EP			Abstract	
	0 127 958 B2	03/11/1992	EP			x , x	
	1394171	05/14/1975	GB (Abstract only)			5	
	1599241 A	09/30/1981	GB (Abstract only)			S2 5	
	2 073 891 A	10/21/1981	GB		S	8 8	
	2 154 003 B	02/17/1988	GB		1	* 5	
	2 204 408 A	11/09/1988	GB		00	2	
	2 254 436 A	10/07/1992	GB			x O	
	54-41191	04/02/1979	JP (Abstract only)			7	
	55-10581	01/25/1980	JP			Abstract	
	55-10583	01/25/1980	JP			Abstract	•
	55-10584	01/25/1980	JP		9,9	Abstract	
	55-12406	01/29/1980	JP			Abstract 3	
	56-163447	12/16/1981	JP	1 3			<b>53</b> .
	57-70448	04/30/1982	JP				7
	60-173457	09/06/1985	JP (Abstract only)	<del>-         -                            </del>			<del>.</del>
NU	60-173458	09/06/1985	JP		ē	. 44	

							: :	
EXAMINER	AIA	VIN	NATA	TATHADHA	DATE CONSIDERED	Mz	1997	_





Docket Number: Application Number: 12008.20US01 09/034,372

Applicant: SAY ET AL.

Filing Date: 03/04/1998 Group Art Unit: 1709 37 36

	DOCUMENT NO.	DATE	COUNTRY	CLA	SS	SUBO	CLASS	TRANS	LATION
							t.	YES	NO
NN	60-173459	09/06/1985	JP			,		Abstract	y-
11	61-90050	05/08/1986	JP	۶۰.			'G	-Abstract	ζ
	62-85855	04/20/1987	JP	RI	ECI	EIVE	D	Abstract	ń
	62-114747	05/26/1987	JP .			1	`.\	Abstract	
	63-58149	03/12/1988	JP	A	pg 1	0 199	9	Abstract	-
	63-128252	05/31/1988	JP	G	ROI	IP 21	00	Åbstract	1 64.17
	63-139246	06/11/1988	JP		,,,,,			Abstract CD	
	63-294799	12/01/1988	JP		ø.			Abstract	
	63-317757	12/26/1988	JP	1	,				
	63-317758	12/26/1988	JP				VUU	Abstract-	
	1-114746	05/08/1989	JP				-	Abstract	
	1-114747	05/08/1989	JP					Abstract **	,
	1-124060	05/16/1989	JP				<u> </u>	Abstract C	
	1-134244	05/26/1989	JP					Abstract	_
	1-156658	06/20/1989	JP					Abstract 5	
	2-62958	03/02/1990	JP					Abstract	,
	2-120655	05/08/1990	JP					Abstract	· · · · · ·
	2-287145	11/27/1990	JP		_			Abstract	
	2-310457	12/26/1990	JP (Abstract only)	1 1			· · · · · · · · · · · · · · · · · · ·	Austract	
	3-26956	02/05/1991	JP					Abstract	
	3-28752	02/06/1991	JP (Abstract only)	11					
	3-202764	09/04/1991	JP					Abstract	-
	5-72171	03/23/1993	JP					Abstract	-
	5-196595	08/06/1993	JP					Abstract	<u> </u>
	6-190050	07/12/1994	JP (Abstract only)				<del>                                     </del>		
	7-72585	03/17/1995	JP			<del>                                     </del>	1	Abstract	
NN	WO 85/05119	11/21/1985	PCT				1	Abstract	<del>                                     </del>

EXAMINER	NAVIN	NATUITHITH	HADHA	DATE CONSIDERED	11/2	11599	
		,					





### SEFORMATION DISCLOSURE STATEMENT

### IN AN APPLICATION

(Use several sheets if necessary)

Docket Number:	
12008 2011501	

Application Number:

US01 09/034,372

Applicant: SAY ET AL.
Filing Date: 03/04/1998

Group Art Unit: 1709 3 7 36

	DOCUM	ENT NO	DATE	OREIGN PATENT DOCUMEN	T	1.00	CLIE		TD 4310	
	DOCOM	ENT NO.	DATE	COUNTRY	"	LASS	SUE	CLASS	-	LATION
<u> </u>	WO 89/0871	2	00/21/1000	DOT	+	<u></u>			YES	NO
NN			09/21/1989	PCT			-		X	
<del>-  </del>	WO 90/0530		05/17/1990	PCT	RE(	CEN	(ED	<del></del>	X	
	WO 91/0168		05/31/1990	PCT	ALIC	10	000	<del>├</del>	X	
		-	02/21/1991	PCT	AUG	11 0	998	+	X	
	WO 91/0470		04/18/1991	PCT	RO	(IP	100	<del> </del>	Abstract	
-	WO 91/1599		10/31/1991	PCT	<del> </del>	<del> </del>		<del>-   .</del>	X X 🕏	
	WO 92/1327 WO 94/2060		08/06/1992	PCT		1		+		*-
<u> </u>	WO 94/2000		11/24/1994	PCT PCT	, , ,		-		,	1:15
_	WO 96/3043		10/03/1996	PCT		+-	1			117
	WO 97/0284		01/30/1997	PCT	+	1		1	×	1 Total
	WO 97/1934		05/29/1997	PCT	+	7.		· .	Abstract	
	WO 97/4288		11/20/1997	PCT	+	+-	-	1		
	WO 97/4288		11/20/1997	PCT	1	-	<del>                                     </del>	2	· 图 · 图	-
1	WO 97/4288		11/20/1997	PCT		+		- Co	<b>3</b> 5	
	WO 97/4288		11/20/1997	PCT	1	<del> </del>		1	NE VE	
	WO 97/4396		11/27/1997	PCT	<del> </del>	-	_	1 6	X 00	
NU	1281988 A1		01/07/1987	SU		<del></del>			Abstract	
		ОТ		NTS (Including Author, Title, Date	Pertin	ent Pages	Ftc.)		Abstract	l
NN				ng Interfaces Using Two-Layer Fi Ruthenium and Iron on Electrode			-	olymerized \ 1):1-5 (Janu	/inylpyridine and uary 14, 1981).	i
		Albery, W oxidase," J.	. et al., "Amperom Electroanal. Chem	netric enzyme electrodes. Part II. n. Interfacial Electrochem., 194(2)	Conduction (1)	ting salts - Abstra	as electro act only) (	de materials 1985).	for the oxidation	of gluco:
		Albery, W. J. et al., "Amperometric Enzyme Electrodes," Phil. Trans. R. Soc. Lond. B316:107-119 (1987).								
		Alcock, S. J. et al., "Continuous Analyte Monitoring to Aid Clinical Practice," <i>IEEE Engineering in Medicine and Biology</i> , 319–3: (1994).								
	:	Anderson, L 10:295-395	. B. et al., "Thin-I (1965).	ayer Electrochemistry: Steady-S	tate Me	thods of S	Studying I	Rate Processe	es," J. Electroand	al. Chem.,
		Bartlett, P. 1	N. et al., "Covalent	Binding of Electron Relays to Glu	ucose O	cidation,"	J. Chem.	Soc. Chem.	Commun., 1603-	-1604 (19
MIN		i		tion of glucose oxidase by tetrathi						

EXAMINER	NAV	ĮW	NATNITALTHADAD DATE O	CONSIDERED	1/2/	1995	- 7

Date Ma	iled:	шл	Y 23.	1998

Sheet	1	2	Λf	1	7

INFORMATION DISCLOSURE STATEMENT	Docket Number: 12008.20US01	Application Number: 09/034,372			
IN AN APPLICATION	Applicant: SAY ET AL.				
(Use several sheets if necessary)	Filing Date: 03/04/1998	Group Art Unit: 1709 S 773			
TRADEMINE TRADEMINE					

	· C5
	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
NN	Bartlett, P. N. et al., "Strategies for the Development of Amperometric Enzyme Electrodes," Biosensors, G:359-379 (1987/88).
MM	Bindra, D.S. et al., "Design and in Vitro Studies of a Needle-Type Glucose Sensor for Subcutaneous Monitoring", Anal. Chem., 63(17):1692-1696 (September 1, 1991).
	Bobbioni-Harsch, E. et al., "Lifespan of subcutaneous glucose sensors and their performances during dynamic glycaemia changes in rats," J. Biomed. Eng. 15:457-463 (1993).
	Brandt, J. et al., "Covalent attachment of proteins to polysaccharide carriers by means of benzoquinone," <i>Biochim. Biophys. Acta</i> , 386(1) (1 page Abstract only) (1975).
	Brownlee, M. et al., "A Glucose-Controlled Insulin-Delivery System: Semisynthetic Insulin Bound to Lectin", Science, 206(4423):1190-1191 (December 7, 1979).
	Cass, A.E.G. et al., "Ferricinum Ion As An Electron Acceptor for Oxido-Reductases," J. Electroanal. Chem., 190;117-127 (1985).
	Cass, A.E.G. et al., "Ferrocene-Mediated Enzyme Electrode for Amperometric Determination of Glucose", Anal. Chem., 56(4):667-671 (April 1984).
	Castner, J. F. et al., "Mass Transport and Reaction Kinetic Parameters Determined Electrochemically for Immobilized Glucose Oxidase," <i>Biochemisty</i> , 23(10):2203-2210 (1984).
	Claremont, D.J. et al., "Biosensors for Continuous In Vivo Glucose Monitoring", <i>IEEE Engineering in Medicine and Biology Society 10th Annual International Conference</i> , New Orleans, Louisiana, 3 pgs. (November 4–7, 1988).
	Clark, L.C. et al., "Differential Anodic Enzyme Polarography for the Measurement of Glucose", Oxygen Transport to Tissue: Instrumentation, Methods, and Physiology, 127-132 (1973).
	Clark, L.C., Jr. et al., "Electrode Systems for Continuous Monitoring in Cardiovascular Surgery," Annals New York Academy of Sciences, pp. 29-45 (1962).
	Clark, L.C. et al., "Long-term Stability of Electroenzymatic Glucose Sensors Implanted in Mice," Trans. Am. Soc. Artif. Intern. Organs, XXXIV:259-265 (1988).
	Clarke, W. L., et al., "Evaluating Clinical Accuracy of Systems for Self-Monitoring of Blood Glucose," <i>Diabetes Care</i> , 10(5):622-628 (September-October 1987).
	Csoregi, E. et al., "Design, Characterization, and One-Point in Vivo Calibration of a Subcutaneously Implanted Glucose Electrode," <i>Anal. Chem.</i> 66(19):3131-3138 (October 1, 1994).
	Csoregi, E. et al., "Design and Optimization of a Selective Subcutaneously Implantable Glucose Electrode Based on "Wired" Glucose Oxidase," Anal. Chem. 67(7):1240–1244 (April 1, 1995).
	Csoregi, E. et al., "On-Line Glucose Monitoring by Using Microdialysis Sampling and Amperometric Detection Based on "Wired" Glucose Oxidase in Carbon Paste," Mikrochim. Acta. 121:31-40 (1995).
	Davis, G., "Electrochemical Techniques for the Development of Amperometric Biosensors", Biosensors, 1761-178 (1985).
	Degani, Y. et al., "Direct Electrical Communication between Chemically Modified Enzymes and Meta Electrodes." 1. Electron Transfer from Glucose Oxidase to Metal Electrodes via Electron Relays, Bound Covalently to the Enzyme; J. Phys. Chem., 91(6):1285–1289 (1987).
	Degani, Y. et al., "Direct Electrical Communication between Chemically Modified Enzymes and Metal Electrodes. 2. Methods for Bonding Electron—Transfer Relays to Glucose Oxidase and D-Amino-Acid Oxidase," J. Am. Chem. Soc., 110(8):2615-2620 (1988).
	Degani, Y. et al., "Electrical Communication between Redox Centers of Glucose Oxidase and Electrodes via Electrostatically and Covalently Bound Redox Polymers," <i>J. Am. Chem. Soc.</i> , 111:2357–2358 (1989).
MN	Denisevich, P. et al., "Unidirectional Current Flow and Charge State Trapping at Redox Polymer Interfaces on Bilayer Electrodes: Principles, Experimental Demonstration, and Theory," J. Am. Chem. Soc., 103(16):4727-4737 (1981).

EXAMINER	NAVMI	NATUST4	wi. MAII	LOATE CONSIDERED	12/2/	-00
	N/TY/N	WHILL IT	11 17 AWAT	DATE CONSIDERED	111211	777

& TRADEM

Sheet 13 of 17

100 1449*	~\ -
/	INFORMATION DISCLOSURE STATEMENT
JUL 2 7 1998	J 👏
1	IN AN APPLICATION
	(Use several sheets if necessary)

Docket Number: Application Number: 12008.20US01 09/034,372

Applicant: SAY ET AL. Filing Date: 03/04/1998

Group Art Unit; 1709

	_	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
N/	ر	Dicks, J. M., "Ferrocene modified polypyrrole with immobilised glucose oxidase and its application in amperometric glucomicrobiosensors," <i>Ann. Biol. clin.</i> , 47:607–619 (1989).	ose
1		Engstrom, R.C., "Electrochemical Pretreatment of Glassy Carbon Electrodes", Anal. Chem., 54(13):2310-2314 (November	r 1982).
		Engstrom, R.C. et al., "Characterization of Electrochemically Pretreated Glassy Carbon Electrodes", Anal. Chem., 56(2):13 (February 1984).	6-141
		Ellis, C. D., "Selectivity and Directed Charge Transfer through an Electroactive Metallopolymer Film," J. Am. Chem. Soc., 103(25):7480-7483 (1981).	
		Feldman, B.J. et al., "Electron Transfer Kinetics at Redox Polymer/Solution Interfaces Using Microelectrodes and Twin Electrograms. <i>Interfaces Using Microelectrodes and Twin Electrograms. J. Electrograms. Chem.</i> , 194(1):63-81 (October 10, 1985).	ectrode Thin
		Fischer, H. et al., "Intramolecular Electron Transfer Mediated by 4,4"—Bipyridine and Related Bridging Groups", J. Am. Ch. 98(18):5512-5517 (September 1, 1976).	nem. Soc.,
		Foulds, N.C. et al., "Enzyme Entrapment in Electrically Conducting Polymers," J. Chem. Soc., Faraday Trans 1., 82:1259-(1986).	-1264
		Foulds, N.C. et al., "Immobilization of Glucose Oxidase in Ferrocene-Modified Pyrrole Polymers," Anal Chem. 60(22):2 (November 15, 1988).	473-2478
		Frew, J.E. et al., "Electron-Transfer Biosensors", Phil. Trans. R. Soc. Lond., B316:95-106 (1987).	Ti
		Gorton, L. et al., "Selective detection in flow analysis based on the combination of immobilized enzymes and chemically melectrodes," <i>Analytica Chimica Acta.</i> , <b>250</b> :203–248 (1991).	iodified
		Gregg, B. A. et al., "Cross-Linked Redox Gels Containing Glucose Oxidase for Amperometric Biosensor Applications," A Chemistry, 62(3):258-263 (February 1, 1990).	nalytical
		Gregg, B. A. et al., "Redox Polymer Films Containing Enzymes. 1. A Redox—Conducting Epoxy Cement: Synthesis, Characterization, and Electrocatalytic Oxidation of Hydroquinone," J. Phys. Chem., 95(15):5970–5975 (1991).	
		Hale, P.D. et al., "A New Class of Amperometric Biosensor Incorporating a Polymeric Electron-Transfer Mediator," J. Am. Soc., 111(9):3482-3484 (1989).	. Chem.
		Harrison, D.J. et al., "Characterization of Perfluorosulfonic Acid Polymer Coated Enzyme Electrodes and a Miniaturized Ir Potentiostat for Glucose Analysis in Whole Blood", <i>Anal. Chem.</i> , 60(19):2002-2007 (October 1, 1988).	ntegrated
		Hawkridge, F. M. et al., "Indirect Coulometric Titration of Biological Electron Transport Components," <i>Analytical Chemis</i> . 45(7):1021–1027 (June 1973).	try,
		Heller, A., "Amperometric biosensors based on three-dimensional hydrogel-forming epoxy networks," Sensors and Actual 14:180-183 (1993).	tors B, 13-
		Heller, A., "Electrical Connection of Enzyme Redox Centers to Electrodes," J. Phys. Chem., 96(9):3579-3587 (1992).	
		Heller, A., "Electrical Wiring of Redox Enzymes," Acc. Chem. Res., 23(5):129-134 (1990).	
		Ianniello, R.M. et al. "Immobilized Enzyme Chemically Modified Electrode as an Amperometric Sensor Anal. Chem., 53 2095 (November 1981).	(13):2090–
		Ianniello, R.M. et al., "Differential Pulse Voltammetric Study of Direct Electron Transfer in Glucose Oxidase Chemically In Graphite Electrodes", Anal. Chem., 54:(7):1098-1101 (June 1981).	Modified
		Ikeda, T. et al., "Glucose oxidase-immobilized benzoquinone-carbon paste electrode as a glucose sensor," Agric. Biol. Ch. (1 page - Abstract only) (1985).	em., 49(2)
N	J	Ikeda, T. et al., "Kinetics of Outer-Sphere Electron Transfers Between Metal Complexes in Solutions and Polymeric Films Modified Electrodes", J. Am. Chem. Soc., 103(25):7422-7425 (December 16, 1981).	on

EXAMINER	NAVIN	NATNITH	IT HABAA	DATE CONSIDERED	11/2	2/6	77]	
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		$\overline{}$	7		$\overline{}$

JUL 2 7 1998

			RECEIVED
FORMATION DISCLOSURE STATEMENT	Docket Number: 12008.20US01	Application Nu 09/034,372	AUG 1 0 1998
IN AN APPLICATION	Applicant: SAY ET AL.		GROUP 2100
(Use several sheets if necessary)	Filing Date: 03/04/1998	Group Art Unit	

r Cell," Anal. Chem. 54:1377–1383 (1982)  Ininiature Electroenzymatic Biosensors",  e Electrode Surface With Immobilized  Electrochem. Soc., 135(1):112–115 (Januar mbinant Glucose Oxidase and Redox  chemical "Wiring" of Oxidases," Analytica
Ininiature Electroenzymatic Biosensors",  e Electrode Surface With Immobilized  Electrochem. Soc., 135(1):112–115 (Januar mbinant Glucose Oxidase and Redox
e Electrode Surface With Immobilized  Electrochem. Soc., 135(1):112–115 (Januar mbinant Glucose Oxidase and Redox
Elecrochem. Soc., 135(1):112-115 (Januar mbinant Glucose Oxidase and Redox
mbinant Glucose Oxidase and Redox
chemical "Wiring" of Oxidases," Analytica
le with poly(vinyl pyridine) complexed wit
lucose Sensors Biosensors &
Bioelectrochemisty and Bioenergetics,
6-530 (November 1994).
liovascular Applications", Jr., Chem.
perometric Biosensors," Analytical
ubstrate", Sensors and Biosensors B
: Application to Amperometric Enzyme
Adenine Dinucleotide Covalently Attached 68 (1985).
etaminophen on glucose detection by a
composite Nafion membrane: demonstrati
miniaturized glucose sensor implanted for arch 1992).
ode," Life Sciences, 31(23):2611-2616
cose Oxidase," Brochimica et Biophysica
ent of enzymes, Enzyme Microb. Technol.,

	<b>)</b>
EXAMINER WAY, NATIVETY (THADA)	DATE CONSIDERED 1/1/2/1999
EXAMINER: Initial if reference considered, whether or not citation is in confo considered. Include copy of this form for next communication to the Applican	rmance with MPEP 609; draw line through citation if not in conformance and not

Date	Mailed	JH-V-23	1998

Sheet 15 of 17

FQRM 1449*	\
	MATION DISCLOSURE STATEMENT
JUL 2 7 1998	
	IN AN APPLICATION
	(Use several sheets if necessary)
TRADEMA	,

 Docket Number:
 Application Number:

 12008.20US01
 09/034,372


Applicant: SAY ET AL.

Filing Date: 03/04/1998

Group Art Unit: 1709

	GROUP A
	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
NN	Ohara, T. J. et al., "Glucose Electrodes Based on Cross-Linked [Os(bpy) <sub>2</sub> CI] <sup>+/2+</sup> Complexed Poly(1-vinylimadazole) Films,"  Analytical Chemistry, 65(23):3512-3516 (December 1, 1993).
1	Ohara, T. J., "Osmium Bipyridyl Redox Polymers Used in Enzyme Electrodes," Platinum Metals Rev. (39(2):54-62 (April 1995).
	Ohara, T. J. et al., ""Wired" Enzyme Electrodes for Amperometric Determination of Glucose or Lactate in the Presence of Interfering Substances," Analytical Chemistry, 66(15):2451-2457 (August 1, 1994).
	Olievier, C. N. et al., "In vivo Measurement of Carbon Dioxide Tension with a Miniature Electrode," <i>Pflugers Arch.</i> 373:269-272 (1978).
	Paddock, R. et al., "Electrocatalytic reduction of hydrogen peroxide via direct electron transfer from pyrolytic graphite electrodes to irreversibly adsorbed cytochrome c peroxidase," J. Electroanal. Chem., 260:487-494 (1989).
	Palleschi, G. et al., "A Study of Interferences in Glucose Measurements in Blood by Hydrogen Peroxide Based Glucose Probes", Anal. Biochem., 159:114-121 (1986).
	Pankratov, I. et al., "Sol-gel derived renewable-surface biosensors," Journal of Electroanalytical Chemistry, 393:35-41 (1995).
	Pathak, C. P. et al., "Rapid Photopolymerization of Immunoprotective Gels in Contact with Cells and Tissue," J. Am. Chem. Soc., 114(21):8311-8312 (1992).
	Pickup, J., "Developing glucose sensors for in vivo use," Tibtech, 11: 285-289 (July 1993).
	Pickup, J. C. et al., "In vivo molecular sensing in diabetes mellitus: an implantable glucose sensor with direct electron transfer," Diabetologia, 32(3):213-217 (1989).
	Pickup, J. et al., "Potentially-implantable, amperometric glucose sensors with mediated electron transfer improving the operating stability," <i>Biosensors</i> , 4(2) (1 page – Abstract only) (1989).
	Pishko, M.V. et al., "Amperometric Glucose Microelectrodes Prepared Through Immobilization of Glucose Oxidaso in Redox Hydrogels", Anal. Chem., 63(20):2268-2272 (October 15, 1991).
	Poitout, V. et al., "A glucose monitoring system for on line estimation in man of blood glucose concentration using a fininiaturized glucose sensor implanted in the subcutaneous tissue and a wearable control unit," <i>Diabetolgia</i> , 36(7) (1 page – Abstract only) (July 1993).
	Poitout, V. et al., "Calibration in dogs of a subcutaneous miniaturized glucose sensor using a glucose meter for blood glucose determination," <i>Biosensors &amp; Bioelectronics</i> , 7:587-592 (1992).
	Poitout, V. et al., "In vitro and in vivo evaluation in dogs of a miniaturized glucose sensor," ASAIO Transactions, 37(3) (1 page – Abstract only) (July-September 1991).
	Pollak, A. et al., "Enzyme Immobilization by Condensation Copolymerization into Cross-Linked Polyacrylamide Gels," J. Am. Chem. Soc., 102(20):6324-6336 (1980).
	Reach, G. et al., "Can Continuous Glucose Monitoring Be Used for the Treatment of Diabetes?" Analytical Chemistry, 64(6):381-386 (March 15, 1992).
	Rebrin, K. et al., "Automated Feedback Control of Subcutaneous Glucose Concentration in Diabetic Dogs", <i>Diabetologia</i> , 32(8):573-576 (August 1989).
\	Sakakida, M. et al., "Ferrocene-mediate needle-type glucose sensor covered with newly designed biocompatible membrane," Sensors and Actuators B, 13-14:319-322 (1993).
لبرنم	Samuels, G. J. et al., "An Electrode-Supported Oxidation Catalyst Based on Ruthenium (IV). pH "Encapsulation" in a Polymer Film,"  J. Am. Chem. Soc., 103(2):307-312 (1981).

EXAMINER NAVIN NATULTHITHANHADATE CONSIDERED 11/2/1999



AATION DISCLOSURE STATEMENT

IN AN APPLICATION

Docket Number: 12008.20US01

Application Number: 09/034,372

Applicant: SAY ET AL. Filing Date: 03/04/1998

Group Art Unit: 1

	ODOUR 0100
	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
UG	Sasso, S.V. et al., "Electropolymerized 1,2-Diaminobenzene as a Means to Prevent Interferences and Fouling and to Stabilize Immobilized Enzyme in Electrochemical Biosensors", <i>Anal. Chem.</i> , 62(11):1111-1117 (June 1, 1990).
,	Scheller, F. et al., "Enzyme electrodes and their application," Phil. Trans. R. Soc. Lond., B 316:85-94 (1987).
	Schmehl, R.H. et al., "The Effect of Redox Site Concentration on the Rate of Mediated Oxidation of Solution Substrates by a Redox Copolymer Film", J. Electroanal. Chem., 152:97-109 (August 25, 1983).
	Shichiri, M. et al., "Glycaemic Control in Pancreatetomized Dogs with a Wearable Artificial Endocrine Pancreas", <i>Diabetologia</i> , 24(3):179-184 (March 1983).
	Sittampalam, G. et al., "Surface-Modified Electrochemical Detector for Liquid Chromatography", Anal. Chem., 55(9):1608-1610 (August 1983).
	Soegijoko, S. et al., Horm. Metabl. Res., Suppl. Ser, 12 (1 page - Abstract only) (1982).
	Sprules, S. D. et al., "Evaluation of a New Disposable Screen-Printed Sensor Strip for the Measurement of NADH and Its Modification to Produce a Lactate Biosensor Employing Microliter Volumes," <i>Electroanalysis</i> , 8(6):539-543 (1996).
	Sternberg, F. et al., "Calibration Problems of Subcutaneous Glucosensors when Applied "In-Situ" in Man," <i>Horm. metabl. Res</i> , 26:524-525 (1994).
	Sternberg, R. et al., "Covalent Enzyme Coupling on Cellulose Acetate Membranes for Glucose Sensor Development," Analytical Chemistry, 60(24):2781-2786 (December 15, 1988).
	Sternberg, R. et al., "Study and Development of Multilayer Needle-type Enzyme-based Glucose Microsensors, "Biosensors, 4:27-40 (1988).
	Suekane, M., "Immobilization of glucose isomerase," Zeitschrift für Allgemeine Mikrobiologie, 22(8):56 576 (1982).
	Tajima, S. et al., "Simultaneous Determination of Glucose and 1,5-Anydroglucitol", Chemical Abstracts, #1(25):394 111 228556g (December 18, 1989).
	Tarasevich, M.R. "Bioelectrocatalysis", Comprehensive Treatise of Electrochemistry, 10 (Ch. 4):231-295 (4985).
	Tatsuma, T. et al., "Enzyme Monolayer- and Bilayer-Modified Tin Oxide Electrodes for the Determination of Hydrogen Peroxide and Glucose," <i>Anal. Chem.</i> , 61(21):2352-2355 (November 1, 1989).
	Taylor, C. et al., "Wiring' of glucose oxidase within a hydrogel made with polyvinyl imidazole complexed with [(Os-4,4'-dimethoxy-2,2'-bipyridine)C1]* <sup>1/2+</sup> ," <i>Journal of Electroanalytical Chemistry</i> , 396:511-515 (1995).
	Trojanowicz, M. et al., "Enzyme Entrapped Polypyrrole Modified Electrode for Flow-Injection Determination of Glucose," <i>Biosensors &amp; Bioelectronics</i> , 5:149-156 (1990).
	Turner, A.P.F. et al., "Diabetes Mellitus: Biosensors for Research and Management", Biosensors, 1:85-115 (1985).
	Turner, R. F. B. et al., "A Biocompatible Enzyme Electrode for Continuous in vivo Glucose Monitoring in Whole Blood," Sensors and Actuators, B1(1-6):561-564 (January 1990).
	Tuzhi, P. et al., "Constant Potential Pretreatment of Carbon Fiber Electrodes for In Vivo Electrochemistry" Analytical Letters, 24(6):935-945 (1991).
	Umaha, M., "Protein-Modified Electrochemically Active Biomaterial Surface," U.S. Army Research Office Report, (12 pages) (December 1988).
\	Urban, G. et al., "Miniaturized Thin-Film Biosensors Using Covalently Immobilized Glucose Oxidase", Biosensors & Bioelectronics, 6(7):555-562 (1991).
N/U	Velho, G. et al., "In Vitro and In Vivo Stability of Electrode Potentials in Needle-Type Glucose Sensors, Diabetes, 38(2):164-171 (February 1989).

**DATE CONSIDERED** 

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not

7

considered. Include copy of this form for next communication to the Applicant.

**EXAMINER** 

:8

Docket Number: 12008.20US01

Application Number 09/034,372

AUG 1 0 1994

IN AN APPLICATION

RMATION DISCLOSURE STATEMENT

Applicant: SAY ET AL.
Filing Date: 03/04/1998

GROUP 2

(Use several sheets if necessary)

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) NN Velho, G. et al., "Strategies for calibrating a subcutaneous glucose sensor," Biomed. Biochin. Acta, 48(11/12) \$57-964 (4989) Von Woedtke, T. et al., "In Situ Calibration of Implanted Electrochemical Glucose Sensors," Biomed. Biochim. Acid, 48(11/12):943-952 (1989). Vreeke, M. S. et al., "Chapter 15: Hydrogen Peroxide Electrodes Based on Electrical Connection of Redox Centers of Various Peroxidases to Electrodes through a Three-Dimensional Electron-Relaying Polymer Network," Diagnostic Biosensor Polymers, 7 pgs. (July 26, 1993). Vreeke, M. et al., "Hydrogen Peroxide and β-Nicotinamide Adenine Dinucleotide Sensing Amperometric Electrodes Based on Electrical Connection of Horseradish Peroxidase Redox Centers to Electrodes through a Three-Dimensional Electron Relaying Polymer Network," Analytical Chemistry, 64(24):3084-3090 (December 15, 1992). Wang, J. et al., "Activation of Glassy Carbon Electrodes by Alternating Current Electrochemical Treatment", Analytica Chimica Acta, 167:325-334 (January 1985). Wang, J. et al., "Amperometric biosensing of organic peroxides with peroxidase-modified electrodes," Analytica Chimica Acta. 254:81-88 (1991). Wang, D. L. et al., "Miniaturized Flexible Amperometric Lactate Probe," Analytical Chemistry, 65(8):1069-1073 (April 15, 1993). Wang, J. et al., "Screen-Printable Sol-Gel Enzyme-Containing Carbon Inks," Analytical Chemistry, 68(15):2705-2708 (August 1, Wang, J. et al., "Sol-Gel-Derived Metal-Dispersed Carbon Composite Amperometric Biosensors," Electroanalysis, 9(1):52-55 (1997).Williams, D.L. et al., "Electrochemical-Enzymatic Analysis of Blood Glucose and Lactate", Anal. Chem., 42(1):118-121 (January Wilson, G. S. et al., "Progress toward the Development of an Implantable Sensor for Glucose," Clinical Chemistry, 38(9):1613-1617 Yabuki, S. et al., "Electro-conductive Enzyme Membrane," J. Chem. Soc. Chem. Commun, 945-946 (1989). Yang, L. et al., "Determination of Oxidase Enzyme Substrates Using Cross-Flow Thin-Layer Amperometry," Electroanalysis, 8(8-9):716-721 (1996). Yao, S.J. et al., "The Interference of Ascorbate and Urea in Low-Potential Electrochemical Glucose Sensing", Proceedings of the Twelfth Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 12(2):487-489 (November 1-4, Yao, T. et al., "A Chemically-Modified Enzyme Membrane Electrode As An Amperometric Glucose Sensor," Analytica Chimica Acta., 148:27-33 (1983). Ye, L. et al., "High Current Density "Wired" Quinoprotein Glucose Dehydrogenase Electrode," Anal. Chem., 65(3):238-241 (February 1, 1993). Yildiz, A. et al., "Evaluation of an Improved Thin-Layer Electrode," Analytical Chemistry, 40(70):1018-1024 (June 1988). Zamzow, K. et al., "New Wearable Continuous Blood Glucose Monitor (BGM) and Artificial Pancreas (AP), Diabetes, 39:5A(20) (May 1990).

EXAMINER	WAY	11	NATWITHITHADHA DATE CONSIDERE	D /1/2/10	399

6:653-661 (1991).

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Zhang, Y. et al., "Application of cell culture toxicity tests to the development of implantable biosensors,"

Zhang, Y. et al., "Elimination of the Acetaminophen Interference in an Implantable Glucose Sensor," Anal. Chem. 66:1183-1188

Biosensors & Bioelectronics,

Date Mailed: M	larch 17 1999	•	Sheet 1 of 1			
FORM 1449*	INFORMATION DISCLOSURE STATEMENT   P	Docket Number: 12008.20US01	Application Number: 09/034,372			
	IN AN APPLICATION	Applicant: SAY ET AL.				
	(Use several sheets if necessary), MAR 2 2 1899 (Use	Filing Date: 03/04/1998	Group Art Unit: 1744			

			TRADEMARK.					
			U.S. PATENT DOCUMENT	S				
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE		
NN	5,807,375	09/15/1998	Gross et al.	\	1			
とと	5,822,715	10/13/1998	Worthington et al.					
NN	5,840,020	11/24/1998	Heinonen et al.					
						<del>-</del> "		
		F	OREIGN PATENT DOCUME	NTS				
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS T		ANSLATION	
						YES	NO	
	01	THER DOCUME	NTS (Including Author, Title, Da	ate, Pertinent Pages,	Etc.)			
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
							1	
							`	

RECEIVED

APR 13 1599

GROUND 1700

RECEIVED
MAR 2 4 1999
GROUP 1700

EXAMINER	WAYEN	NATN	ITH	IT HA	NHA	DATE CONSIDERED	11/2	, [	10	9	9
	<del></del>		•		<del></del>			7	•		